

World AIDS Day 1997

বিশ্ব এইচসি দিবস উদ্যাপন কমিটি বাংলা ও পরিবার কল্যাণ সংস্থার

concept+design turn communications

The Daily Star



দিবস ১৯
১লা ডিসেম্বর

Special Supplement

বাণী



বিশ্বাসী এইচসি দিবস কমিটি
জাতি জন এক অভিযান। এই রোগ
সম্পর্কে বিশ্বাসী সচিবদল সৃষ্টির
সঙ্গে বিশ্ব এইচসি দিবস' পালন
একটি উচ্চতম পদক্ষেপ।

এ বছর প্রতিশাল বিশ্ব এইচসি
আক্রমণ দিবস' সম্পর্কযোগী
ব্যক্তি মনে করি। জাতির পরিষ্কাৰ
শিক্ষণের ক্ষমতাকে অভিযান দিয়ে এ রোগ প্রতিরোধে উপর সম্পর্কে সচেতন করে দ্বারা হবে। সর্বাঙ্গে
উদ্যোগের পার্শ্বান্বয় আমি চিকিৎসক, বাস্তু ও সমাজকীয় এবং সচেতন ব্যক্তিদের এ ব্যাপারে অধীন ভূমিকা পালনের
আহ্বান জানাই।

আমি সিসিসিটির সার্বিক স্বাক্ষর করিমা করি।

বিচারপতি সহায়বুদ্ধী আহমদ
বাটুপতি
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বাণী



আম পদে দিনের, বিশ্ব এইচসি দিবস।
আম এই জাত যে, এশিয়া মহাদেশে প্রতিবেশ করে দক্ষিণ পূর্ব
অঞ্চলীয় সেচ্চেলাতে এইচসি মহামারী আকার পালন করে।
বাংলাদেশের পার্শ্বান্বয় সম্পর্ক ব্যক্ত করতে, বিশ্বাসীর
ব্যক্তিগত, নেপাল-এ আজ এইচসি এবং ভূমিকা করাতে আকার।


জনগতভাবে এইচসি রোগ আক্রমণ প্রতিবেশ সম্পর্ক বিশ্বে
এক ভাগেই ব্যক্তিগত সুরক্ষার নির্দেশে। কাহাই বাস্তু সেবার সকল পর্যায়ে এইচসি প্রতিরোধের কার্যকরীকরণ সম্পৃক্ত
করা অত্যন্ত জানকীয়। পার্শ্বান্বয় সম্পর্কিত, অভিজ্ঞতা, বিশ্বাসী এবং বাস্তুর জীবন বেথেক উপর ভিত্তি করে
এইচসি আক্রমণ দিবসের ক্ষমতা জ্ঞান এবং ব্যক্তিগত অভিজ্ঞতা সাথে আনন্দ আবরণ করাতে একাধিক একাধিক করে
এইচসি প্রতিরোধের কার্যকরীয়ে নিয়ন্ত্রণের সম্পৃক্ত করি।

উদ্যোগশীল সেচ্চেলাতে আক্রমণ সম্পর্কে অভিযান সৃষ্টি হয় এইচসি-এ। সামিন্যজনিত ক্ষমতা দীর্ঘ সেচ্চেলাতে সুলভের
সম্মত সেচ্চেলাতে প্রতিবেশ সৃষ্টি হচ্ছে। কাহাই বাস্তু সেবার সকল পর্যায়ে এইচসি রোগ সক্রিয়, বিশ্বাসী
ও প্রতিরোধক সঠিক কার্যকর, পরিবেশন ও তার ব্যক্তিগতে। সকল নাগরিককে এশিয়ার আসতে হবে সহায়ের হাত
বাড়িতে। সরকারের সঙ্গে এক সঙ্গে এক হয়ে এইচসি প্রতিরোধের কার্যকরীয়ে অল্পপূর্বে ক্ষেত্রে স্বীকৃত করে দেশ তথা জাতিকে
এইচসি এর বোঝান থেকে বাঁচাতে হবে।

আমি এই দিনের স্বাক্ষর করিমা করি।

সামাজিক উন্নয়ন ইউনিয়ন
বাস্তু ও পরিবার কল্যাণ সংস্থার
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বাণী



বিশ্বে আজ শুরু ২৩ লক্ষ লোকে এইচসি-এ
ও এইচসি ব্যক্তিগত আক্রমণ এক ভাবের
প্রতিরোধক সৃষ্টি হচ্ছে, যেখানে স্থানকৰ
অর্থে এইচসি রোগের চিকিৎসা ব্যক্ত আবেগে
নেই এবং এ পর্যায়ে এক অভিযান আকারে
হচ্ছে। কাহাই এইচসি রোগের বাস্তু আবাহন
করে। কাহাই এইচসি রোগের বাস্তু আবাহন

আমি এই দিনের স্বাক্ষর করিমা করি।

সোহাগুল আলী
সর্বিত
বাস্তু ও পরিবার কল্যাণ সংস্থার
গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

বাণী

Children & HIV/AIDS

Major General M. R. Choudhury

Chairman, Technical Committee, NAC, Bangladesh

Introduction

A pandemic is raging across this planet for the last one and half decades, the type of which has never been recorded before in the human history. Mankind is almost helplessly observing the relentless strides of its causative agent, an infinitesimally small 'animalcule'. It is called HIV, the virus responsible for the deadly disease AIDS. By now the virus has touched almost all the countries of the world & has unfolded its myriad of sinister effects on mankind. Unfortunately children also happen to be the victims of this scourge.

World AIDS Day (WAD) / World AIDS Campaign (WAC)

This year's WAD introduces WAC focusing on children with the pertinent slogan: 'Children Living in a World with AIDS'. The United Nations Convention on the Rights of Child defines children as all human beings under the age of 18 years.

The children population & the risk

One fifth of the global population is between the ages of 10 & 19. In DCs young people up to age 25 often constitute almost half of the population. There are about 100 million street children in the world mostly inhabiting the developing countries (DCs), many of whom are orphans & destitutes. Street living is mainly due to poverty. (Mann et al 1992, pp293).

Orphans

Because of the existence of various definitions of 'orphanhood', counting of orphans becomes difficult. Most of the organizations now define orphans as those children who have lost one or both parents to AIDS. (UNAIDS, 1997). The situation is more complicated by the fact that those who have lost one parent to AIDS are also likely to lose the other. Orphans run greater risk of contracting HIV.

The staggering number of orphans : The DCs are worst affected

According to UNAIDS estimation, by mid 1996, 9 million children under 15 years had already lost their mothers. More than 90% of these live in Sub-Saharan Africa (SSA). In Uganda for example, 1.2X10⁶ under the age of 18 years have lost one parent to AIDS. This figure is increasing by 50,000 every year (US Bureau of the Census & World Bank, 1997). In Zimbabwe, children orphaned by AIDS are the largest & the faster growing category in difficult circumstances (UNICEF-1997). In Thailand, more than 100,000 children under 15 years would lose their mothers by the end of this decade. (Figure 1)

WHO predicts that by the end of this century there will be 10 million unaccompanied (orphaned, runaway) children in the SSA due to HIV, three times the current estimates due to all other causes.

In a study on the 10 countries of Central & East Africa, UNICEF reported that by 1999, AIDS will have orphaned nearly 11% of the children of these countries & thereby increasing as much as 43% of deaths of children under 5. (Mann et al, 1992, pp668,163).

Orphanhood & HIV

In the orphanages of Port-au-Prince, Haiti, more than 50% of the children under 18 months of age are infected with HIV. In São Paulo, Brazil, 9% children were found positive in state institution. In Rakai district of Uganda 12.5% of the children under 18 years were orphans & 66% of them were found to be HIV positive. (Mann et al. 1992, pp668,164).

Modes of infection

A. Vertical

About 90% of the children under the age 15 years acquire the virus from their infected mothers, usually during pregnancy, during delivery or through breastfeeding (UNAIDS, 1997).

The probability of vertical transmission in DCs is more in comparison to

Table 1 Breastfeeding : DCs & ICs

Points	ICs	DCs	Remarks
Survival	80% survive up to 3rd Yr 20% survive up to 4th Yr	50% dead by 2nd Yr(Zambia) 68% dead by 3rd Yr(Uganda)	Poor healthservices in DCs, poor nutrition etc.
Disease resemblance	Paediatric AIDS resemble Adult AIDS (PCP, candida & cryptococcal meningitis)	Ordinary childhood disease. Death due to diarrhoea, measles, TB, respiratory diseases (Uganda)	
Access to drugs	Yes	No	

Key: ICs : Industrialized Countries, DCs : Developing Countries
Effects

US Bureau of Census predicts that the disease will wipe out the improvements in infant & child mortality achieved during the last 10 years if >HIV-spread= were not contained. AIDS may increase infant mortality by as much as 75% & under-5 mortality by more than 100% in worst affected regions.

Bangladesh

Bangladesh is a developing country with a population of nearly 125 million. About one half of our population is below the age 19 (Population & Development Issues in Bangladesh, 1997). Although an epidemic of HIV/AIDS has already started in Bangladesh, it is fortunately in its early stage and the country continues to be a 'low prevalence area'. This however must not be a cause for any complacency since all the determinants for an explosive epidemic outburst are present in Bangladesh. It, in fact, is a 'high-risk area'.

Recommendations

From above it will be realized that mankind is facing a serious crisis of an enormous magnitude. The recent breakthroughs like 'triple therapy' in lowering the viral load & 'ZDV therapy' to prevent materno-fetal transmission are far from satisfactory & are beyond the reach of the poor. Discovery of an effective vaccine continues to a far cry. Yet there glimmers a ray of hope & that is: 'HIV-infection' is preventable. In this important effort all the nations of the world are to be united.

It is quite evident that children urgently need special care & support. In 1994, representatives of NGOs through out south & east Africa drew up a 5-point Lusaka Declaration on 'Support to Children and Families affected by AIDS'. The points are noted below.

1. Keep children of the AIDS affected families in their own communities
2. Efforts should start before death of parent
3. NGOs to identify children at risk of becoming orphans
4. Home based care scheme community support teams help parents plan ahead for their children's future
5. NGOs to inform the parents about their legal rights

It is strongly recommended that Lusaka Declaration be implemented.

industrialized countries (ICs). The findings of 1994-breakthrough in the field of HIV transmission by American & French researchers showed that long regimen of the drug ZDV administered to HIV positive women during pregnancy & to their newborns reduced the mother to child transmission by 68%.

কিভাবে এইচসি আইডি / এইচসি ছড়াব

এইচসি আক্রমণ পূরুষ অথবা মহিলার সাথে অবস্থিত
বৌনিলনের মাধ্যমে।

এইচসি আক্রমণ ব্যক্তির রুক্ষ শরীরে গ্রহণের মাধ্যমে।

আক্রমণ ব্যক্তির স্বাস্থ্য এবং পুরুষ অথবা মহিলার স্বাস্থ্যের
মাধ্যমে করে।

আক্রমণ ব্যক্তির রেজে, ত্রুট বা ক্ষুর জীবাণুমুক্ত না করে

পুরুষ অথবা মহিলার করলে।

আক্রমণ ব্যক্তির রেজে, ত্রুট বা ক্ষুর জীবাণুমুক্ত না করে

পুরুষ অথবা মহিলার করলে।

আক্রমণ ব্যক্তির রেজে, ত্রুট বা ক্ষুর জীবাণুমুক্ত না করে

পুরুষ অথবা মহিলার করলে।

এইচসি প্রতিরোধে করণীয়

ধর্মীয় অনুশাসন এবং সামাজিক রায়িত্বীতি মেনে চলা। যৌন সম্পর্কের
ক্ষেত্রে স্বামী-স্ত্রীর পরম্পরারে প্রতি বিবৃত থাকা।

বহুবাচিতা ও পরিবারের কল্যাণ সম্পর্কের প্রতি বিবৃত থাকা।

রক্ত, রক্তজাত মুখ্য বা অন্য প্রত্যান্ত গ্রুবে HIV/AIDS পরীক্ষা
করে নেয়া।

একবার বাবারয়ে পিরিজ (ডিস্পোজেবল সিরিজ), বন্ধু