

Metropolitan



National Coordination Committee for the Annihilation of killers of 1971 brought out a procession on the city streets yesterday demanding ban on Jamaat-Shibir politics.

— Star photo

Bangladesh Railway Engineering Department (East Zone) Tender Notice

Tender No CSP/1/2000 Dated: 13.7.2000
Sealed tenders are invited from the enlisted Railway suppliers of East Zone and reputed suppliers of other department for the following works.

Name of work: At CSP/CTB: Supplying side packing plates & dowel lock & pin for concrete sleeper plant at CTB.

Approximate cost 2.19 lakh taka. Earnest money 2% of the quoted price. Tender documents will be available for sale from the office of the Chief Engineer/East, Bangladesh Railway, Chittagong, Executive Engineer, Bangladesh Railway, Chhatak Bazar & Divisional Engineer/3, Bangladesh Railway, Dhaka up to 2.8.2000 on all working days with deposit of non-refundable sum of Tk 400/- (four hundred) per set, dropping and opening time 12.00 Noon & 12.30 hrs on 3.8.2000 in this office mentioned above. Supplier of other department have to take prior approval from Chief Engineer/East, Bangladesh Railway, Chittagong for purchasing tender documents and have to deposit Tk 3000/- (three thousand) as an enlistment fee for this particulars works.

Sample may be seen in the office of Executive Engineer/Chhatak Bazar if required.

Railway authority reserves the right to accept or reject any tender as a whole or part without assigning any reason whatsoever.

Rail/B/125 Executive Engineer
DFP-17940-20/7/2000 Bangladesh Railway
G-1343 Chhatak Bazar.

Ban on politics of Jamaat, Shibir demanded

By DU Correspondent

The National Coordination Committee of Ekattor Ghatik Dalat Nirmul Committee (EDGNC) yesterday burned the effigy of Golan Azam in front of the National Press Club in the city to protest the recent terrorist activities carried out by Jamaat and Shibir activists.

The committee members also held a rally there and demanded a ban on the politics of Jamaat-Shibir.

Addressing the rally, the speakers blamed Jamaat-e-Islami and its student wing Islami Chhatra Shibir for recent 'subversive and destructive' acts in the country.

The committee members also held a rally there and demanded a ban on the politics of Jamaat-Shibir.

Railway authority reserves the right to accept or reject any tender as a whole or part without assigning any reason whatsoever.

Rail/B/125 Executive Engineer
DFP-17940-20/7/2000 Bangladesh Railway
G-1343 Chhatak Bazar.

Rail/B/125 Executive Engineer
DFP-17940-20/7/2000 Bangladesh Railway
G-1343 Chhatak Bazar.

PARC submits its final report to President

The Public Administration Reforms Commission yesterday submitted its final report containing 137 recommendations for administrative restructuring to President Shahabuddin Ahmed, reports UNB.

Earlier, 30 interim reports were submitted to the government and six of them accepted. Chairman of the Commission ATM Shamsul Huq said while handing over the final report to the President at Bangabhaban.

He said the final report includes 137 recommendations of which 30 are interim, 70 short-term and 37 long-term measures.

The Chairman said the reports published in three volumes were prepared in little over two years with the active help and cooperation from its full-time and part-time members.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

He recalled with gratitude the guidelines of the President in doing their assigned job.

President Shahabuddin thanked the chairman and members of the PARC for their sincere efforts in preparing the reports and hoped that the government would take necessary steps for implementing the recommendations for administrative reforms.

City experiences power disruption

By Staff Correspondent

Different parts of the capital city experienced disruption in power supply yesterday despite adequate power generation.

PDB generated 2700 megawatt of power which was almost equal to countrywide demand. Out of the country's 63 power plants, 11 were remained inoperative yesterday.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

A DESA official said that the disruption might have occurred due to line breakdown and line overloading problems.

The power generating unit that remained inoperative yesterday were Rajshahi-2, Baghabari Gas, Sylhet Gas, Shahjibajar 3, Fenchuganj Gas Turbine 1 and 2, Ashuganj 2 and Ashuganj Gas Turbine 1 and Khulna Barge Mounted Plant 1 and Khulna 110 MW and Rangpur Gas Turbine.

However, DESA control room claimed that there was no loadshedding in the capital yesterday as it received the same amount of power the DESA area need.

POTEL Family PABX
1 T & 6 EXTENSIONS DISA VOICE
OPERATORLESS OPERATION
SYSCOM
SYSTEM & COMMUNICATIONS CO. LTD.
57, KAZI NAZRUL ISLAM AVENUE, DHAKA 1
P: 918-1008, E-mail: syscom@bdonline.com

OFFICE SPACE AVAILABLE

13000 sq/ft (6500 sq/ft each floor, 1st & 2nd floor)

FOR BANK, INSURANCE COMPANY & CORPORATION

at 28, Bangabandhu Avenue, Dhaka.

(Beside Secretariat & Opposite Dhaka Stadium)

Please Contact

Phone # 9565512, 9565513.

C-734

Rotary News

Weekly meeting

The regular weekly meeting of the Rotary Club of Dhaka North will be held today at 7:30 pm at BRAC Centre, Mohakhali, says a press release.

Members have been requested to attend the meeting in time.

Uttam Kumar Retrospective begins today

Zahir Rathan Film Society in association with the Indian High Commission has organised a retrospective of 27 films to mark the 20th death anniversary of legendary actor Uttam Kumar, reports BSS.

The retrospective is divided into two parts. Seventeen films will be screened in the first part beginning today at the Indian High Commission auditorium in the city. The film show will begin at 6.15 pm daily.

The schedule of the second part will be announced later.

The retrospective is only for the members of the society but interested persons are welcome to join the society to enjoy the films, said a press release.

A Memorandum of Understanding (MOU) to this effect was signed at the BRAC Centre in the city yesterday, Md Enamul Haq, General Manager of ASA, and Md Aminul Alam, Deputy Executive Director of BRAC, signed the MOU.

The founder and Executive Director of BRAC Faez Hassan Abed and Managing Director of ASA Saifuddin Hossain Chowdhury were present on the occasion.

Field staff of both the organisations will jointly prepare a list of such cases of overlapping and resolve the issue in joint meetings. Apart from credit money, other services received from different organisations will not be considered as overlapping.

12 VCs condemn attempt to kill PM

Vice-Chancellors (VCs) of country's 12 universities yesterday condemned the 'heinous' attempt to kill Prime Minister Sheikh Hasina at Kotlajpara on Thursday, reports BSS.

In a statement issued last night, the vice chancellors said "We condemn the heinous attempt to kill Prime Minister Sheikh Hasina by the anti-liberation forces to grab power illegally and jeopardize the verdict in the Bangabandhu murder case by plotting a powerful bomb at Kotlajpara."

The VCs expressed their firm commitment to uphold the democracy, introduced after a long struggle.

The signatories to the statement are: Prof A K Azad Chowdhury (Dhaka University), Prof Saifur Rahman Khan (Rajshahi University), Prof Mohammad Anwarul Islam (Bangladesh Agricultural University), Prof Nooruddin Ahmed (BUET), Prof Abdul Mannan (Chittagong University), Prof Abdul Bayes (Jahangirnagar University), Prof Mohammad Kayesuddin (Islamic University), Prof M Habibur Rahman (Shahjalal Science and Technology University), Prof S M Nazrul Islam (Khulna University), Prof Aminul Islam (National University), Prof M Aminul Islam (Bangladesh Open University) and Prof A M Ashrafur Kamal (Bangabandhu Sheikh Mujibur Rahman Agricultural University).

স্টেনোগ্রাফার আবশ্যক

একটি সুপ্রতিষ্ঠিত প্রতিষ্ঠানের কর্পোরেট প্রধান কার্যালয়ে জরুরী ভিত্তিতে নিয়োগের জন্য স্টেনোগ্রাফার আবশ্যক।

শিক্ষাগত যোগ্যতা ও অভিজ্ঞতাঃ ইংরেজী ও বাংলা শর্তহীনভাবে প্রতি মিনিটে যথাক্রমে ৮০ ও ৬০ শব্দের গতিসহ ন্যূনতম এইচ এস সি পাস। কোন প্রতিষ্ঠানে কমপক্ষে ৩ বছরের চাকুরীর বাস্তব অভিজ্ঞতাসহ কম্পিউটারে MS Word এ কাজ করার অভিজ্ঞতা থাকতে হবে। বয়সসীমা সর্বোচ্চ ৩৫ বছর।

উপযুক্ত প্রার্থীকে আকর্ষণীয় বেতন ও অন্যান্য আধুনিক সুযোগ-সুবিধা দেয়া হবে। অগ্রহী প্রার্থীদেরকে পূর্ণ জীবন বৃত্তান্ত ও পাসপোর্ট সাইজের ২ কপি ছবিসহ বিজ্ঞাপন প্রকাশের ১০ দিনের মধ্যে নিম্ন ঠিকানায় আবেদন করার জন্য অনুরোধ করা হচ্ছে। যে কোন ধরনের সুপারিশ প্রার্থীর অযোগ্যতা বলে বিবেচিত হবে।

নির্বাহী পরিচালক, ফ্রোব জনকণ্ঠ শিল্প পরিবার জনকণ্ঠ ভবন, ২৪/এ, নিউ ইকটন রোড, ঢাকা

BCIC Short Tender Notice

বিসিআইসি'র পণ্য শিল্পায়নে জাতীয় অগ্রগতির প্রতীক

Managing Director, Urea Fertilizer Factory Ltd., Ghorasal, Narasingdi invites two-envelope system sealed quotation from the bonafide manufacturers/ suppliers/stockists/trading firms for supply of 11,250 kgs 10/3 Ply Jute Twine against local tender Inquiry No. ESAKA/KROY-1.002/2000-2001/17 dated 11-7-2000. The tender shall be opened on 03-8-2000 at 11.00 AM at Urea Fertilizer Factory Ltd. Tender documents shall be available on payment of Tk 100.00 (Taka one hundred) only (non-refundable) per set from the (i) Controller of Accounts, BCIC, BCIC Bhaban, 30-31, Dilkusha C/A, Dhaka, (ii) BCIC Branch Office, 6, Agrabad C/A, Chittagong and (iii) General Manager (A&F), Urea Fertilizer Factory Ltd., Ghorasal, Narasingdi. No tender documents shall be sold on the date of opening.

BCIC 598-16/7/2000 DFP-17695-18/7 G-1339

Dhaka WASA Tender Notice

পানির অপচয় রোধে কাজ শেষে কলের মুখ বন্ধ করুন

Tenders are invited from class I civil contractors enlisted with Dhaka WASA for construction of 5 or more boundary walls, earth-filling and approach road construction at the site of deep tubewells installed/replaced at different places of Dhaka Metropolitan City under Interim Project-4. The amount of estimated money for the work is Tk 15,49,825/-. Tenders will be received till 12:00 Noon on 14/8/2000 and will be opened on the same day at 2:30 PM before the tenderers or their representatives (if anyone remains present).

Schedule of tender will be available in the office of the Chief Accounts Officer of Dhaka WASA, WASA Bhaban, 98, Kazi Nazrul Islam Avenue, Dhaka and all MODS Zone Offices of Dhaka WASA. Other details will be available in the office of the undersigned.

Address: WASA Bhaban 98, Kazi Nazrul Islam Avenue Dhaka.

A K M Zafarullah Project Director Interim Project-4 Dhaka WASA.

DFP-17772-18/7 G-1338

চাকরুলা ইনস্টিটিউট ঢাকা বিশ্ববিদ্যালয়

চাকরুলা ইনস্টিটিউটের লেকচারারের ৩ (তিন) টি পদ পূরণের জন্য রেজিস্ট্রারের দফতর থেকে প্রাপ্তবা নির্ধারিত ফরমে বাংলাদেশী নাগরিকদের নিকট থেকে দরখাস্ত আহ্বান করা যাচ্ছে।

বেতনের স্কেল ৪৩০০-১৮৫৭-৫৫৯৫-ইবি ১৯৫১১-৭৭৪০/= টাকা

শিক্ষাগত যোগ্যতাঃ প্রার্থীদের অবশ্যই এসএসসি এবং প্রাক বিএফএ পরীক্ষায় কমপক্ষে ২য় বিভাগসহ বিএফএ অথবা এমএফএ পরীক্ষায় ১ম শ্রেণীর ডিগ্রিধারী হতে হবে। প্রার্থীদের ছাত্র হিসেবে কৃতিত্ব এবং ফাইন আর্টের বিভিন্ন কর্মকাণ্ডে গুরুত্বপূর্ণ অবদানকে অতিরিক্ত যোগ্যতা হিসেবে বিবেচনা করা হবে। উল্লিখিত শিক্ষাগত যোগ্যতাসম্পন্ন প্রার্থীর অভাবে শর্ত শিথিল করা যেতে পারে। অন্যান্য যোগ্যতা সমান থাকলে এমফিল ডিগ্রিধারী প্রার্থীদের অগ্রাধিকার দেয়া যেতে পারে।

রেজিস্ট্রারের অনুকূলে প্রদেয় ১০০/- (একশত) টাকা মূল্যের ব্যাংক ড্রাফট/পে-অর্ডার এবং সকল সার্টিফিকেট ও প্রশংসাপত্রাদির সত্যায়িত প্রতিলিপিসহ ১১ (এগার) কপি দরখাস্ত ২০-৮-২০০০ইং তারিখের মধ্যে পরিচালকের নিকট জমা দিতে হবে। চাকরিত প্রার্থীদের যথাযথ কর্তৃপক্ষের মাধ্যমে দরখাস্ত করতে হবে।

GD-705

Eating Out

Authenticated Italian and Indian food now in Dhaka
La-Villa restaurant at top of the building in Hotel
the best place for Italian cuisine
prepares by Italian chef
ANTONIO BENDINELLI
54 Kowran bazar Dhaka 1215
Tel 911 3955, 913 0919, 912 4106 Fax 880-2-913 1218

The Most Exclusive Restaurant
In the country
Come and Experience
OUTSIDE CATERING, TAKEAWAY, LUNCH BOXES
House #53, Block #B, Kamal Attaturk Avenue, Banani, Dhaka-1213
Phone # 870225, 872679 Fax # 880-2-881202

An Exclusive Restaurant
Serving full range of Indian dishes. Also available
*OUTSIDE CATERING *TAKEAWAY *PARTY FACILITIES
House # 10, South Avenue, Gulshan-1, Dhaka-1212
Tel: 8811684, 8812458 Fax: 880-2-8828902. E-mail:sajna@citechco.net

An Exclusive Restaurant
SANTOOR
Symphony of Dining
Call for outside catering
House No. 2, Road No. 11 (New), Mirpur Road, Dhanmondi, Dhaka -1209, Telephone: 812336, 9128737

DHAKA BANK

SALE OF VEHICLES

Dhaka Bank Limited offers the following Vehicles for auction sale on "AS IS WHERE IS BASIS". These Vehicles are in running conditions and are available for inspection at Dhaka Bank Limited, Banani Branch,