

MIRSARAI TRAGEDY

Probe body finds gateman, driver responsible

SIFAYET ULLAH, Ctg

Both the rail crossing gateman and the microbus driver are responsible for the train-microbus collision at the Mirsarai Borotakia rail crossing that killed 13 people, a probe committee has found.

The committee, led by Railway divisional traffic officer of Chattogram Ansar Ali, submitted its report on Monday with eight recommendations.

The report accused gateman Saddam Hossain – who is currently in prison – and deceased microbus driver Golam Mostafa of the collision and subsequent deaths.

The incident occurred on July 29, killing 11 people on the spot and injuring seven others. Of the seven injured, two died while undergoing treatment.

Railway formed two committees to investigate the accident.



The probe committee report found that the gateman of the rail crossing was not present at the time of the accident and the driver of the microbus was negligent.

The committee recommended that the gateman be punished for his negligence in duty.

The report mentioned that the gateman put up barriers on both sides of the crossing before the train's arrival and went to say his prayers.

Someone removed the barrier on one side during his absence. The microbus driver took this chance to cross through.

The committee also mentioned that according to the Railway Act, the microbus violated the rules. It was also

SEE PAGE 4 COL 5

‘Living in fear in rundown dorm’

Our Correspondent, Barishal

The students of Sher-e-Bangla Medical College in Barishal demonstrated on the campus and surrounded the principal's office yesterday, demanding a safe dormitory.

They continued the agitation for eight hours from 8:00am, saying that they have to reside in rundown residential halls.

Later, the students suspended their demonstration for seven days after the principal assured them of providing alternative accommodation and a new dormitory building soon.

The assurance came after the SBMC authorities met Barishal City Corporation Mayor Serniabat Sadiq Abdullah.

Earlier, the students staged a sit-in in front of the principal's office with banners and festoons threatening to stop all academic activities until their demand is not met.

During a visit to the college's Habibur Rahman Hall, this correspondent found that the plasters were falling off its walls on three floors. The doors and windows were broken, and the entire place was unhygienic.

According to the authorities, with 2,362 students the medical college has six dormitories – three for males and three for females. Every hostel is in dilapidated condition and Habibur Rahman Hall is most unliveable. The plaster is constantly falling from the ceilings. Students got injured in

such incidents on multiple occasions.

Lisa, a student residing in a female dormitory, said, “We have to live with fear in the dilapidated building all the time. We want safe accommodation.”

Arifuzzaman Imon, a fifth-year student residing in Habibur Rahman Hall, said plaster fell from the ceiling in its TV room on Monday night. Thirty students who live in the room narrowly escaped, he added.

“Our only demand is for a new dormitory. Until its construction is completed, we need a safe alternative shelter. Otherwise, the movement will continue indefinitely,” Imon said.

Campus sources said the hall was built in 1968 and its second floor was declared abandoned by the Public Works Department (PWD) due to its dilapidated condition.

Contacted, Principal Dr Md Moniruzzaman Shaheen said it is not possible to solve this problem overnight. Two projects for the construction of two 10-storey buildings are currently awaiting Ecne approval, he said.

“We already met the mayor for students' alternative accommodation,” he added.

PWD executive engineer Md Kamrul Ahsan said the second floor of Habibur Rahman Hall was declared abandoned three years ago. “We will declare the entire building abandoned within two days,” he said. They continued the agitation

for eight hours from 8:00am, saying that they have to reside in rundown residential halls.

Later, the students suspended their demonstration for seven days after the principal assured them of providing alternative accommodation and a new dormitory building soon.

The assurance came after the SBMC authorities met Barishal City Corporation Mayor Serniabat Sadiq Abdullah.

Earlier, the students staged a sit-in in front of the principal's office with banners and festoons threatening to stop all academic activities until their demand is not met.

During a visit to the college's Habibur Rahman Hall, this correspondent found that the plasters were falling off its walls on three floors. The doors and windows were broken, and the entire place was unhygienic.

According to the authorities, with 2,362 students the medical college has six dormitories – three for males and three for females. Every hostel is in dilapidated condition and Habibur Rahman Hall is most unliveable. The plaster is constantly falling from the ceilings. Students got injured in such incidents on multiple occasions.

Lisa, a student residing in a female dormitory, said, “We have to live with fear in the dilapidated building all the time. We want safe accommodation.”

Arifuzzaman Imon, a fifth-year student residing

in Habibur Rahman Hall, said plaster fell from the ceiling in its TV room on Monday night. Thirty students who live in the room narrowly escaped, he added.

“Our only demand is for a new dormitory. Until its construction is completed, we need a safe alternative shelter. Otherwise, the movement will continue indefinitely,” Imon said.

Campus sources said the hall was built in 1968 and its second floor was declared abandoned by the Public Works Department (PWD) due to its dilapidated condition.

Contacted, Principal Dr Md Moniruzzaman Shaheen said it is not possible to solve this problem overnight. Two projects for the construction of two 10-storey buildings are currently awaiting Ecne approval, he said.

“We already met the mayor for students' alternative accommodation,” he added.

PWD executive engineer Md Kamrul Ahsan said the second floor of Habibur Rahman Hall was declared abandoned three years ago. “We will declare the entire building abandoned within two days,” he said.

They continued the agitation for eight hours from 8:00am, saying that they have to reside in rundown residential halls.

Later, the students suspended their demonstration for seven days after the principal assured them of providing alternative

accommodation and a new dormitory building soon.

The assurance came after the SBMC authorities met Barishal City Corporation Mayor Serniabat Sadiq Abdullah.

Earlier, the students staged a sit-in in front of the principal's office with banners and festoons threatening to stop all academic activities until their demand is not met.

During a visit to the college's Habibur Rahman Hall, this correspondent found that the plasters were falling off its walls on three floors. The doors and windows were broken, and the entire place was unhygienic.

According to the authorities, with 2,362 students the medical college has six dormitories – three for males and three for females. Every hostel is in dilapidated condition and Habibur Rahman Hall is most unliveable. The plaster is constantly falling from the ceilings. Students got injured in such incidents on multiple occasions.

Lisa, a student residing in a female dormitory, said, “We have to live with fear in the dilapidated building all the time. We want safe accommodation.”

Arifuzzaman Imon, a fifth-year student residing in Habibur Rahman Hall, said plaster fell from the ceiling in its TV room on Monday night. Thirty students who live in the room narrowly escaped, he added.

“Our only demand is for a new dormitory. Until its construction is completed,

we need a safe alternative shelter. Otherwise, the movement will continue indefinitely,” Imon said.

Campus sources said the hall was built in 1968 and its second floor was declared abandoned by the Public Works Department (PWD) due to its dilapidated condition.

Contacted, Principal Dr Md Moniruzzaman Shaheen said it is not possible to solve this problem overnight. Two projects for the construction of two 10-storey buildings are currently awaiting Ecne approval, he said.

“We already met the mayor for students' alternative accommodation,” he added.


PWD executive engineer Md Kamrul Ahsan said the second floor of Habibur Rahman Hall was declared abandoned three years ago. “We will declare the entire building abandoned within two days,” he said.

They continued the agitation for eight hours from 8:00am, saying that they have to reside in rundown residential halls.

Later, the students suspended their demonstration for seven days after the principal assured them of providing alternative accommodation and a new dormitory building soon.

The assurance came after the SBMC authorities met Barishal City Corporation Mayor Serniabat Sadiq Abdullah.

Earlier, the students staged a sit-in in front of the principal's office with



Bangladesh Bank

Common Services Department-2
Head Office
Dhaka

Website: www.bangladeshbank.org.bd

Invitation for Tender Through Web

Tender No. CSD2(EES): 22/Rajshahi/Solar/2022-40

Tenders through electronic media (e-Tenders) are invited from the bonafide contractors/firms for Supply, Installation, Testing & commissioning of 13KWp on Grid/Grid-Tie Solar System at Bangladesh Bank, Rajshahi. Necessary information are given below:

Date: 16/08/2022

01	Procuring entity	: Common Services Department-2, Bangladesh Bank, Head Office, Dhaka.
02	Source of funds	: Bangladesh Bank's own fund.
03	Invitation for Tender No.	: CSD2(EES): 22/Rajshahi/Solar/2022-40
04	Method of procurement	: Open Tendering Method (OTM).
05	Qualification of tenderer	: a) The tenderer shall have minimum 07 (seven) years overall business experience. b) Satisfactorily completed at least 01 (one) work of similar nature (Supply, Installation of on-Grid Solar Power System) worth not less than Taka 15.00 lac (Taka fifteen lac) only in a single contract, in any government/semi-government/ autonomous organization during last 03 (three) years. The tenderer shall have to furnish work completion certificate in this respect from officer not below the rank of Executive Engineer of equivalent; years counting backward from the date of publication of IFT in the newspaper. c) Liquid asset/Credit facility shall be Tk 17.00 lac (Taka seventeen lac) only. In case of credit facilities Bank shall ensure that abovementioned credit limits will be given if the said works is awarded to the contractor. d) Tenderer shall have to fulfill the qualification criteria stipulated in the Document; failing which the Tender shall be rejected and considered as non-responsive.


06	Address of the web receiving tender document	: www.bangladeshbank.org.bd www.etender.bb.org.bd (e-Tender)
07	Name & address of the offices receiving tender security & other documentary evidence	: Director (Engg: Electromechanical), Common Services Department-2 (7 th floor of 30-storied Building), Bangladesh Bank, Head Office, Dhaka.
08	Last date and time for submission of tender document through web	: 04/09/2022 up to 2:30pm.
09	Last date and time for receiving original tender security and tender submission letter	: 04/09/2022 up to 2:30pm
10	Date, time and place for tender opening	: All tenders shall be opened at Common Services Department-2 (7 th floor of 30-storied Building), Bangladesh Bank, Head Office, Dhaka on 04/09/2022 at 3:00pm (Intending tenderer or their authorized representative are allows to attend the Tender opening).

11	Time for completion of the work	: 02 (two) months from the date of issuing the Award of Contract.
12	Tender security	: Tk 55,000.00 (Taka fifty five thousand) only.
13	Special instructions	: i) The tenderer shall submit tender and scanned copy of documentary evidences including PG2-3 properly through Bangladesh Bank website (e-Tendering) & shall have valid e-mail address for participating e-tendering. ii) Original PO/BD/Bank Guarantee as Tender Security along with Original Tender submission letter as per format PG2-1 shall reach at Director (Engg. Electromechanical), Common Services Department-2, within the stipulated date and time mentioned in TDS. iii) Tenderer shall provide all documentary evidences (original or attested whichever necessary) as per tender document, failing which the tender shall be considered as non-responsive. iv) Tenderer shall submit valid ABC Category Electrical Contractor License from Electrical Licensing Board, Bangladesh. v) PG2-1, PG2-2 and PG2-3 form shall be completed and signed by the Authorized Signatory on the Letter-Head Pad attached by Scanning during submitting tender through Web and original shall be sent to the Director (Engg. Electromechanical), Common Services Department-2 within scheduled time as per TDS. vi) Furnishing of any false, misleading documents may result in rejection of tender and may lead to action under Rules 127 of PPR 2008/Reg. 12 of BBPR 2004. vii) All sorts of safety and security measures shall be carried out by the Contractor during execution of work. viii) Bangladesh Bank reserves all right to accept or reject any or all the tenders without assigning any reason whatsoever. No claim will be entertained in this regard.


DCP: 48/2022-2723
Date: 17-08-2022

ব্যাবহিক ও আর্থিক সেবা পেতে হয়রানির শিকার হলে কিংবা কোনো অভিযোগ থাকলে ১৬২৩৬ নম্বরে ফোন করুন।

GD-1564



Sudhangshu Kumar Sarker
Director (Engg: Electromechanical)
Phone: 88-02-9530490




UNIVERSITY OF DHAKA:

Applications in prescribed form obtainable from the office of the Registrar, are invited from the Bangladesh nationals for filling up 01(one) permanent post of Associate Professor in the Department of Clinical Psychology in the Pay Scale of TK. 50,000-71,200/- (National pay Scale -2015).

QUALIFICATION: Candidates must have high academic qualifications preferably a Ph.D. or equivalent degree in Clinical Psychology. They should have at least 7(seven) years teaching and research experience in a University or an Institute of Advanced research. They should have original research works published in recognized research journals. Experience and performance as a teacher as well as significant contribution to different areas of University activities especially in guiding the overall educational and co-curricular activities of the students will also be treated as qualification. In special cases the condition of period of experience may be relaxed.

Eleven copies of application together with attested copies of certificates, testimonials, mark-sheets and proof of experience along with a Pay Order/Bank Draft of the value of Tk. 1,000/-(One thousand) only, payable to the Registrar, should reach him on or before 15.09.2022 Candidates already in service must apply through proper channel.

GD- 1560



UNIVERSITY OF DHAKA:

Applications in prescribed form, obtainable from the office of the Registrar are invited from the Bangladeshi nationals for filling up 1(One) temporary post of **Lecturer** against study leave vacancy in the Institute of Information Technology, University of Dhaka in the pay scale of Tk. 22,000-53,060/- (National pay scale 2015)

Qualifications: Candidates should have first division or in case of GPA minimum 4.25 in the scale of 5.00 in S.S.C & H.S.C examinations and first class in Honors and in Master's degree or its equivalent CGPA minimum 3.50 in a scale of 4.00 in Software Engineering (SE)/ Computer Science and Engineering (CSE)/ Computer Science (CS)/Information Technology (IT) from a recognized University. One of the approved condition of S.S.C or H.S.C Examination may be relaxed to those who obtained first position/achieved highest CGPA in Honours or Master's degree. Other qualifications being equal preference may be given to those who have higher degrees.

Eight copies of application together with attested copies of certificates, testimonials, Mark sheets, photos and proof of experience along with a Pay Order/Bank Draft of the value of Tk. 750/-(seven hundred fifty) only, payable to the Registrar, University of Dhaka, should reach **Director, Institute of Information Technology, University of Dhaka** on or before **06.09.2022** Candidates already in service must apply through proper channel.

GD- 1562