

## Farmer killed over land dispute in Sherpur

OUR CORRESPONDENT,  
Mymensingh

A farmer was killed in an attack allegedly by his neighbours following a dispute over land in Sadar upazila of Sherpur yesterday.

The deceased is Samedul Haque Kena, 65, from Joginimura Namapara village in the upazila.

Quoting family members and locals, Md Emdadul Haque, officer-in-charge of Sherpur Sadar Police Station, said there has been a longstanding dispute over a piece of land between Samedul and his neighbours Md Harun and Siddique Khalifa.

When Harun and Siddique went to the disputed land to plant banana saplings in the morning, Samedul and his men locked in an altercation with them.

At one stage, the rivals attacked Samedul with sticks, leaving him injured. He was taken to Sherpur General Hospital where the doctors declared him dead.

## Indian national held at Kurigram border

STAFF CORRESPONDENT

Border Guard Bangladesh has detained an Indian national at Phulbari border in Kurigram for entering Bangladesh illegally.

The detainee is Babul Mia of Tharaikhana area in Cooch Behar of West Bengal, said Phulbari Police Station Officer-in-Charge Nawabur Rahman.

The 15 BGB Battalion of Gangahat camp in Phulbari upazila under Lalmonirhat handed him over to Phulbari Police Station yesterday afternoon.

BGB and police claimed Babul, a smuggler by profession, was held near sub pillar 8 of main pillar 938 at the border around 11:00pm on Friday.

The OC said a case has been filed against him under the Passport Act.

## CTG FOOD TESTING LAB

# Sitting idle for a bureaucratic tangle



The chemistry and microbiology labs, filled with facilities, lie abandoned at Modern Food Testing Laboratory in Chattogram.

PHOTO: STAR

ARUN BIKASH DEY, Ctg

Chattogram's Modern Food Testing Laboratory, a Tk 34.4 crore project funded by the Asian Development Bank, remains inoperable despite construction being completed in December 2015.

The project, initiated in 2013, aimed to ensure food safety in Chattogram by providing a facility to test a wide range of food items including milk, meat, vegetables, and edible oil. While testing began on a trial basis in January 2016, a crucial hurdle has rendered the results useless: the absence of a signing authority.

Though the Ministry of Food granted approval for the lab's operation in November 2016, it mandated maintaining quality, employing trained manpower, and upholding equipment standards. However, without signing authority, the lab cannot declare food items as safe or unsafe.

The project's initial tenure saw food inspectors collect samples for testing. However, the lack of a signing authority meant no official action could be taken based on the results.

Further crippling the lab's potential, project personnel, including microbiologist Priya Saha, haven't been regularised despite being appointed eight years ago. This lack of job security led to many leaving their positions, hindering the lab's ability to function effectively.

Adding to the troubles, the Chattogram City Corporation (CCC) has not yet assumed control of the lab's operations from the private firm Star Link, despite being scheduled to do so after 2021.

Visiting the laboratory in Bibirhat area of port city recently, this correspondent saw no test being done there.

In fact, an eerie silence prevailed in the entire three-storey laboratory building with 31 rooms across an 8,000 sq feet area.



The laboratory has two sections — chemistry lab and microbiological lab. Each section has three labs with equipment. The laboratory also has a power sub-station.

"The project began with 24 officials including a director, a senior microbiologist and a senior chemist. The officials were supposed to be regularised as government officials later but it has not been done yet," Priya said.

"As a result, 17 left their job one after another," she added.

Shaheda Akter, another microbiologist, echoed her.

Prime Minister Sheikh Hasina laid the facility's foundation stone on October 12, 2013. The construction work to set up six modern labs with food testing facilities including 83 machines was completed in December 2015.

Contacted, Sheikh Mohammad Tauhidul

Islam, chief executive officer of CCC, said the contractor company of the project was yet to hand over the laboratory to CCC.

"We had three meetings with them to this end, but they are dilly dallying in handing over the laboratory to us, although the project ended in June 2021," he said.

"They are demanding a huge sum of money from us citing their expenditure for maintenance of the lab for the past three years," the CCC CEO also said.

"However, we will take over the laboratory in a few weeks. We have appointed four staffers including a microbiologist, a cleaner and two security guards to run the laboratory for the time being. We have also been paying Tk 35,000 for the monthly electricity bill. Once we take over the lab, we will appoint adequate manpower to run it," he added.

The authority of Star Link, the contractor company, could not be reached for comments.

## People suffer for frequent power cuts

### One unit shut down for maintenance, Patuakhali gets half the required power

OUR CORRESPONDENT, Patuakhali

Residents across Patuakhali district have been suffering due to frequent power outages after one of Payra Thermal Power Plant's two units was shut down on June 26 for maintenance.

Jitendranath Roy, a resident of Baufal upazila, said, "The frequent power cuts have left us amid much suffering and discomfort. Also, the HSC and equivalent examinations are going to start from June 30. The students are facing difficulty to study due to load-shedding."

"The 1,320 MW plant is now able to produce only 660 MW power with one operational unit since June 26. As such, load-shedding has become unavoidable as the power generation is much lower compared to the demand," said Shah Mani Ziko, assistant manager (investigation) of the plant.

An assistant engineer of Patuakhali grid, wishing anonymity, said, "Total demand for electricity is 100 MW in Patuakhali district, but it is getting only 50 MW since Wednesday."

The power generated at Payra plant is also supplied to Barishal, Khulna and Dhaka divisions through the Power Development Board.

"A total 14 MW electricity is required for 32,000 consumers in Patuakhali Municipality, but the supply has been around 10-12 MW since Wednesday. As a result, load-shedding has become unavoidable," said Dean Mohammad Muhim, executive engineer of Patuakhali's West Zone Power Distribution Company Limited.

Shah Mani Ziko added, "The Payra power plant needs at least 45-50 days of maintenance annually to generate power without interruption for the rest of the year. The maintenance works will continue for another four or five days. After that, power generation will resume to full capacity."

## Cop closed for beating auto-rickshaw driver

OUR CORRESPONDENT, Natore

A police official was closed for allegedly assaulting an auto-rickshaw driver in Singra upazila of Natore yesterday.

Salim Reza, sub-inspector of Singra Police Station, was attached to Natore Police Lines after a video in this regard went viral on social media, said Abul Kalam, officer-in-charge of the police station.

Tariqul Islam, superintendent of Natore police, signed the order, said the OC.

Locals said auto-rickshaw driver Harun Ali was returning to his Baisha village home from Damdama around 11:00pm on Thursday.

When he reached in front of Desh Furniture Shop in Upazila Parishad Road area, SI Salim Reza and two others got into the rickshaw and asked him to take them to the Singra bus stand.

As Harun said he wanted to go home rather than take a passenger, Salim got angry and started beating him. OC Kalam also said departmental action will be taken after investigation.

This correspondent could not reach Salim for comments.



A dried up Harihar river in Keshabpur upazila of Jashore.

PHOTO: STAR

## Siltation clogs 18 sluice gates

### Vast areas in Jashore at risk of flooding, waterlogging

MOHSIN MILON, Benapole

Siltation has clogged 18 sluice gates on three rivers — the Harihar, Aparbhadra and Buribhadra — along a stretch of 30 kilometres in Keshabpur upazila of Jashore.

As such, the areas are at risk of flooding and waterlogging in the monsoon if the sluice gates cannot drain away rainwater, said officials of Bangladesh Water Development Board in Jashore.

Earlier, around 18km stretch of Aparbhadra river completely dried up due to a lack of water flow caused by siltation.

A proposal to excavate the three rivers has been included in the amendment project for the Kapotaksha river and submitted to the ministry concerned as well as BWDB. However, it has not been approved yet and no funding has yet been received, said officials.

As a result, the situation is only worsening over time.

In the 1980s, the BWDB built dams

on a number of rivers in the region in the name of polder construction under coastal embankment projects, thereby separating the rivers from the tidal floodplains and canals connected to those.

As a result, siltation started accumulating in the riverbeds as the dams prevented tidal water from entering the rivers and washing away silt. Kapotaksha, Harihar, Aparbhadra and Srihari became the most affected rivers.

Consequently, in 2017, severe floods inundated Keshabpur upazila town and adjoining areas along the rivers.

Later in 2019, BWDB took a Tk 50 crore project to dig Harihar, Buribhadra and Aparbhadra rivers to prevent floods.

The rivers were dug, but their width reduced. Besides, the water levels did not return to expected level, and the flow did not restore to normalcy. As a result, the waterlogging problems returned within two years after the excavation

while siltation remained a persistent problem.


At present, the rivers resemble narrow canals on their deathbed.

"We are likely to suffer due to flooding and waterlogging this monsoon and the problems will only worsen in future unless the rivers are excavated promptly, and properly," said Azizur Rahman, a resident of Mangalkot village in the upazila.

Abubakar Siddique, convener of Keshabpur upazila unit of Bhabadhar Water Drainage Committee, said, "The rivers must be dug before the onset of next monsoon to prevent flooding across a vast area in Keshabpur and neighbouring upazilas."

"The existing situation has already affected the region's agriculture adversely," he added.

Contacted, Suman Sikdar, sub-divisional engineer of BWDB in Jashore, said if the project proposal for dredging the rivers is accepted, the work will begin promptly upon receiving funding.



## বাংলাদেশ কলেজ অব ফিজিশিয়ান্স এন্ড সার্জন্স

### Bangladesh College of Physicians & Surgeons

বিসিপিএস নং নিয়োগ-৫৩৩/২০২৪/২৩২৬০

তারিখ: ২৯-০৬-২০২৪ খ্রিঃ

## নিয়োগ বিজ্ঞপ্তি

বাংলাদেশ কলেজ অব ফিজিশিয়ান্স এন্ড সার্জন্স (বিসিপিএস)-এর নিম্নবর্ণিত পদে চুক্তিভিত্তিক লোক নিয়োগের লক্ষ্যে বাংলাদেশের প্রকৃত নাগরিকদের কাছ থেকে দরখাস্ত আহ্বান করা যাচ্ছেঃ-

ক্রমিক নং	পদের নাম	পদের সংখ্যা	শিক্ষাগত যোগ্যতা ও অভিজ্ঞতা	বেতনক্রম (জাতীয় বেতন স্কেল ২০১৫ মোতাবেক)
১.	সহকারী পরিচালক (মেডিকেল এডুকেশন)	০১	(ক) কোন স্বীকৃত প্রতিষ্ঠান হইতে চিকিৎসা বিজ্ঞানে এফসিপিএস বা সমমানের ডিগ্রি/এমডি/এমমেড; (খ) কম্পিউটার চালনায় দক্ষতা।	আগোচনা সাপেক্ষে

**প্রার্থীদের জন্য পালনীয় শর্তাবলী ও জ্ঞাতব্য বিষয় সমূহ**

- (১) উল্লিখিত পদে আবেদনকারীগণকে সাদা কাগজে "সচিব, বাংলাদেশ কলেজ অব ফিজিশিয়ান্স এন্ড সার্জন্স (বিসিপিএস), ৬৭, শহীদ আজিজুদ্দিন আহমেদ সরণী, মহাখালী, ঢাকা-১২১২" বরাবর আবেদন করতে হবে।
- (২) আবেদনপত্রে আবেদনকারীর পূর্ণ জীবন বৃত্তান্ত যথা: (ক) প্রার্থীর পূর্ণ নাম বাংলায় ও ইংরেজিতে (Capital Letter), (খ) পিতা/স্বামীর নাম, (গ) মাতার নাম, (ঘ) পদের নাম (ঙ) স্থায়ী ঠিকানা, (চ) বর্তমান ঠিকানা, (ছ) জন্ম তারিখ, (জ) ১৫-০৭-২০২৪ খ্রি. তারিখে বয়স (ঝ) ধর্ম, (ঞ) জাতীয়তা, (ট) শিক্ষাগত যোগ্যতা, (ঠ) অভিজ্ঞতার বিবরণ (ড) জাতীয় পরিচয়পত্রের নম্বর (ঢ) ব্যাংক ড্রাফট/পে-অর্ডার নম্বর এবং (ণ) মোবাইল/ফোন নম্বর উল্লেখ করতে হবে। আবেদনপত্রে অবশ্যই প্রার্থীর স্বাক্ষর থাকতে হবে এবং প্রত্যেকটি ছবির পেছনে প্রার্থীর নাম থাকা আবশ্যিক।
- (৩) প্রার্থীগণকে আবেদনপত্রের সাথে (ক) প্রথম শ্রেণীর গেজেটেড কর্মকর্তা কর্তৃক শিক্ষাগত যোগ্যতা ও অভিজ্ঞতার সকল সনদপত্রের সত্যায়িত অনুলিপি (খ) প্রথম শ্রেণীর গেজেটেড কর্মকর্তা কর্তৃক প্রদত্ত চারিত্রিক সনদপত্র (গ) ইউনিয়ন পরিষদ চেয়ারম্যান/পৌরসভার চেয়ারম্যান/গোত্র কমিশনারের নিকট হতে নাগরিকত্বের সনদপত্র (ঘ) সদ্য তোলা পাসপোর্ট সাইজের সত্যায়িত ০৩ (তিন) কপি ছবি এবং (ঙ) জাতীয় পরিচয় পত্রের সত্যায়িত ফটোকপি সংযুক্ত করতে হবে।
- (৪) কোন বোর্ড বা বিশ্ববিদ্যালয়ের অধীন কোন পরীক্ষায় ৩য় বিভাগ/শ্রেণি বা সমমানের গ্রেড গ্রাণ্ড আবেদনকারীর আবেদন গ্রহণযোগ্য নয়।
- (৫) শিক্ষাগত যোগ্যতা থাকার ক্ষেত্রে সংশ্লিষ্ট পরীক্ষায় অ্যাপিয়ার্ড প্রার্থীগণের আবেদন বিবেচনা করা হবে না।
- (৬) চাকুরীতে নিয়োজিত অথবা বিভাগীয় প্রার্থীদের পর কেবলমাত্র যোগ্য প্রার্থীদেরকে পরীক্ষার জন্য ডাকা হবে। অসত্য/ভুল তথ্য স্বশ্লিষ্ট/অসম্পূর্ণ/ক্রটিপূর্ণভাবে প্রদত্ত আবেদনকারীকে নামের উপর পদের নাম অবশ্যই উল্লেখ করতে হবে।
- (৭) আবেদনকারীকে নামের উপর পদের নাম অবশ্যই উল্লেখ করতে হবে।
- (৮) মুক্তিযোদ্ধা/শহীদ মুক্তিযোদ্ধার পুত্র/কন্যা হিসাবে চাকুরী প্রার্থীদের মুক্তিযোদ্ধা/শহীদ মুক্তিযোদ্ধা পিতা/মাতার মুক্তিযোদ্ধা সনদে সার্টিফিকেট (যা গণজাতকী বাংলাদেশ সরকারের মুক্তিযোদ্ধা বিষয়ক মন্ত্রণালয়ের সচিব এবং মাননীয় মন্ত্রী/প্রতিমন্ত্রী কর্তৃক স্বাক্ষরিত এবং প্রতি স্বাক্ষরিত/ ১৯৯৭-২০০১ সাল পর্যন্ত বাংলাদেশ মুক্তিযোদ্ধা সংসদের অধীনে তৎকালীন মাননীয় প্রধানমন্ত্রী কর্তৃক প্রদত্ত স্বাক্ষরিত)-এর সত্যায়িত কপি পত্রের সাথে জমা দিতে হবে।
- (৯) "সচিব, বাংলাদেশ কলেজ অব ফিজিশিয়ান্স এন্ড সার্জন্স"-এর অনুকূলে উক্ত পদের জন্য ১০০০/- টাকার (অফেন্ডেংগ্যাস) ব্যাংক ড্রাফট/পে-অর্ডার নম্বর সংযুক্ত করতে হবে।
- (১০) প্রার্থীর আবেদনপত্র খাম বন্ধ অবস্থায় অবশ্যই রেজিস্ট্রি ডাকযোগে/কুরিয়ার সার্ভিসে অথবা ব্যক্তিগতভাবে সরাসরি নিম্নস্বাক্ষরকারীর দপ্তরে আগামী ১৫-০৭-২০২৪ খ্রি. তারিখ রো ২:০০ ঘটিকার মধ্যে সৌহার্দে হবে। উক্ত তারিখ বা সময়ের পরে ডাকযোগে বা অন্য কোন উপায়ে প্রেরিত আবেদনপত্র গ্রহণযোগ্য হবে না।
- (১১) প্রাপ্ত আবেদনপত্রসমূহ প্রাথমিক বাছাইয়ের পর কেবলমাত্র যোগ্য প্রার্থীদেরকে পরীক্ষার জন্য ডাকা হবে। অসত্য/ভুল তথ্য স্বশ্লিষ্ট/অসম্পূর্ণ/ক্রটিপূর্ণভাবে প্রদত্ত আবেদনকারীকে কোন কারণ দর্শানো ব্যতিরেকেই বাতিল করা যাবে। আবেদনপত্র যাচাই-বাছাইয়ের ক্ষেত্রে কর্তৃপক্ষের সিদ্ধান্ত চূড়ান্ত বলে গণ্য হবে।

  
 (অধ্যাপক আবুল বাশার মোঃ জামাল)  
 সচিব  
 বাংলাদেশ কলেজ অব ফিজিশিয়ান্স এন্ড সার্জন্স (বিসিপিএস)

GD-1052